

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 1 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name/designation : Honda 0W - 20 Car Engine Oil
Product code : 08232P99A3/5/6LHE, 08232-P99K1/4/6LHE
Document no. : HONDA-607

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
Use of the substance/mixture : Lubricant

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

HONDA Europe NV
Langerbruggestraat 104
9000 Gent - BELGIUM
T +32 (0)9 250 1211 - F +32 (0)9 250 1230
Kristiaan.van.renterghem@honda-eu.com

1.4. Emergency telephone number

Emergency number : +32 (0)3 575 0330
This telephone number is available 24 hours per day, 7 days per week.

| Country | Official advisory body | Address | Emergency number |
|-----------------------|--|---|--|
| IRELAND (REPUBLIC OF) | National Poisons Information Centre Beaumont Hospital | Beaumont Hospital Beaumont Road 9 Dublin | +353 18 37 99 64/+353 1 809 21 66 |
| UNITED KINGDOM | National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit | Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle | 0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours, healthcare professionals only) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Other hazards : PBT/vPvB data. This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 2 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Substance name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------|--|------|---|
| Mineral oil | (CAS No.) 8042-47-5 (EC No) 232-455-8 (EC Index) - (REACH-no) 01-2119487078-27-xxxx | > 90 | Asp. Tox. 1, H304 |
| Additive | (CAS No.) additive (EC No) - (EC Index) - | < 10 | Not classified |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------|---|
| Additional advice | : First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice. Show this safety data sheet to the doctor in attendance. Treat symptomatically. |
| Inhalation | : Remove person to fresh air and keep comfortable for breathing. When in doubt or if symptoms are observed, get medical advice. |
| Skin contact | : Take off contaminated clothing. Gently wash with plenty of soap and water. When in doubt or if symptoms are observed, get medical advice. |
| Eye contact | : Rinse immediately carefully and thoroughly with eye-bath or water. When in doubt or if symptoms are observed, get medical advice. |
| In case of ingestion | : Rinse mouth thoroughly with water. Do not induce vomiting. Get medical advice/attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------|---|
| Inhalation | : These may irritate eyes, nose and throat. |
| Skin contact | : May be irritating. Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation). |
| Eye contact | : Contact with eyes may cause irritation. |
| Ingestion | : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : carbon dioxide (CO ₂), powder, alcohol-resistant foam, hazy water. |
| Unsuitable extinguishing media | : Strong water jet. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|---|
| Specific hazards | : Non flammable. Heating causes rise in pressure with risk of bursting. |
| Hazardous decomposition products in case of fire | : Thermal decomposition can lead to the escape of irritating gases and vapours. |

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 3 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

5.3. Advice for firefighters

- Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
- Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

- For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Stop leak if safe to do so. Dam up the liquid spill. Recover small spills with a suitable absorbent, like diatomaceous earth. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.
- Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.
- Packaging materials : Keep only in the original container.

7.3. Specific end use(s)

No data available.

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 4 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Honda 0W - 20 Car Engine Oil | |
|------------------------------|--|
| EU | Mineral oil OEL's : oil (mist) TLV-TWA (mg/m ³) : 1 (se, no); 5 (be, nl, gb, fr, de, fi, dk) oil (mist) TLV-STEL (mg/m ³) : 3 (se); 10 (be, gb): |

Additional information : Personal air monitoring. Room air monitoring

8.2. Exposure controls

| | |
|-------------------------------|--|
| Engineering control measures | : Provide adequate ventilation. Organisational measures to prevent /limit releases, dispersion and exposure. Safe handling: see section 7 . |
| Personal protection equipment | : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. |
| Hand protection | : Wear chemically resistant gloves (tested to EN374) . Suitable material: Nitrile rubber. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. |
| Eye protection | : Use suitable eye protection. (EN166): |
| Body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (EN 140). Full face mask (EN 136). Filter type: AP (EN141). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137) |
| Thermal hazard protection | : Not required under normal use. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|----------------------------------|
| Physical state | : liquid |
| Appearance | : clear. liquid. |
| Colour | : brown. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point/freezing point | : No data available |
| Freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : 220 °C (COC) |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable,liquid |
| Vapour pressure | : No data available |
| Vapour density | : No data available |
| Relative density | : No data available |
| Density | : 0,85 g/cm ³ (@15°C) |

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 5 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

| | |
|---------------------------------------|---|
| Solubility | : Water: Insoluble |
| Partition coefficient n-octanol/water | : No data available |
| Kinematic viscosity | : 34,2 mm ² /s (@40°) & 8,20 mm ² /s (@100°C) |
| Dynamic viscosity | : No data available |
| Explosive properties | : Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule. |
| Oxidising properties | : Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties. |
| Explosive limits | : No data available |

9.2. Other information

Additional information : Pour point : -42,5°C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reference to other sections: 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Safe handling: see section 7.

10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Safe handling: see section 7.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. Reference to other sections: 5.2.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

| Mineral oil (8042-47-5) | |
|--------------------------------|------------------------------------|
| LD50/oral/rat | > 5000 mg/kg (OECD 401) |
| LD50/dermal/rabbit | > 2000 (OECD 402) |
| LC50/inhalation/4h/rat | > 5000 mg/m ³ (aerosol) |

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | : Not classified (Based on available data, the classification criteria are not met.) pH: No data available |
| Serious eye damage/eye irritation | : Not classified (Based on available data, the classification criteria are not met.) pH: No data available |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met.) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met.) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met.) |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met.) |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met.) |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met.) |
| Aspiration hazard | : Not classified (Based on available data, the classification criteria are not met.) |

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 6 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

| Honda 0W - 20 Car Engine Oil | |
|-------------------------------------|--|
| Kinematic viscosity | 34,2 mm ² /s (@40°) & 8,20 mm ² /s (@100°C) |
| Other adverse effects | : No adverse effect has been observed in chronic toxicity tests. |
| Other information | : Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4. |

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties : According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

| Mineral oil (8042-47-5) | |
|--|---|
| LC50 fish 1 | (96h) > 10000 mg/l <i>Lepomis macrochirus</i> (Bluegill) |
| LL0, fish, acute | 100 - 10000 mg/l (96 hours, Information given is based on data obtained from similar substances.) |
| EL0, daphnia, acute, <i>Daphnia magna</i> (Big water flea) | 100 mg/l (48 hours, Information given is based on data obtained from similar substances.) |
| EL0, algae, acute, <i>Pseudokirchneriella subcapitata</i> | 100 mg/l (72 hours, Information given is based on data obtained from similar substances.) |
| NOELR, algae, Chronic, <i>Pseudokirchneriella subcapitata</i> | 100 mg/l (72 hours, Information given is based on data obtained from similar substances.) |
| NOELR, daphnia, Chronic, <i>Daphnia magna</i> (Big water flea) | 10 - 1000 mg/l (21 days, Information given is based on data obtained from similar substances.) |

12.2. Persistence and degradability

| Honda 0W - 20 Car Engine Oil | |
|-------------------------------------|--------------------|
| Persistence and degradability | No data available. |

12.3. Bioaccumulative potential

| Honda 0W - 20 Car Engine Oil | |
|---------------------------------------|--------------------|
| Partition coefficient n-octanol/water | No data available |
| Bioaccumulative potential | No data available. |
| Mineral oil (8042-47-5) | |
| Partition coefficient n-octanol/water | > 6 |

12.4. Mobility in soil

| Honda 0W - 20 Car Engine Oil | |
|-------------------------------------|-------------------|
| Mobility in soil | No data available |
| Surface tension | No data available |

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

Other adverse effects : No data available.

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 7 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. Safe handling: see section 7. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

Codes of waste (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN number : NA
 UN-No : Not applicable
 UN-No : Not applicable
 UN-No. (ADN) : Not applicable
 UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name : NA
 Proper Shipping Name (IMDG) : Not applicable
 Proper Shipping Name (IATA) : Not applicable
 Proper Shipping Name (ADN) : Not applicable
 Proper Shipping Name (RID) : Not applicable
 Transport document description (ADR) : UN NA NA

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
 Packing group (IMDG) : Not applicable
 Packing group (IATA) : Not applicable

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 8 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : Not applicable

14.6. Special precautions for user

Special precautions for user : Not applicable

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No

Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

| | |
|--|-------------|
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 | Mineral oil |
| 3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | Mineral oil |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)

Risk classification according to VbF : Not applicable

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 9 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Mineral oil is listed
 SZW-lijst van mutagene stoffen : Mineral oil is listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
 NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Safety datasheet sections which have been updated : 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms:

| | |
|--|---|
| | ABM = Algemene beoordelingsmethodiek |
| | ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals |
| | BTT = Breakthrough time (maximum wearing time) |
| | DMEL = Derived Minimal Effect level |
| | DNEL = Derived No Effect Level |
| | EC50 = Median Effective Concentration |
| | EL50 = Median effective level |
| | ErC50 = EC50 in terms of reduction of growth rate |
| | ErL50 = EL50 in terms of reduction of growth rate |
| | EWC = European waste catalogue |
| | LC50 = Median lethal concentration |
| | LD50 = Median lethal dose |
| | LL50 = Median lethal level |
| | NA = Not applicable |
| | NOEC = No observed effect concentration |
| | NOEL: no-observed-effect level |
| | NOELR = No observed effect loading rate |

| | | |
|--------------|-------------------------------------|-------------------------|
| HONDA | SAFETY DATA SHEET | Page : 10 / 10 |
| | Honda 0W - 20 Car Engine Oil | Revision nr : 2.0 |
| | | Issue date : 07/07/2015 |
| | | Supersedes : 30/08/2013 |
| | | HONDA-607 |

| | |
|--|--|
| | NOAEC = No observed adverse effect concentration |
| | NOAEL = No observed adverse effect level |
| | N.O.S. = Not Otherwise Specified |
| | OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs) |
| | PNEC = Predicted No Effect Concentration |
| | Quantitative structure-activity relationship (QSAR) |
| | STOT = Specific Target Organ Toxicity |
| | TWA = time weighted average |
| | VOC = Volatile organic compounds |
| | WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act) |

Sources of key data used to compile the datasheet : echa.europa.eu. Name (SDS) : DA-032 - HONDA ENGINE OIL 0W-20.
Manufacturer/Supplier : Idemitsu Lube Europe GmbH. Revision date : 14-Jan-2015.

Other information : Assessment/classification CLP. Article 9. Calculation method.

Full text of H- and EUH-statements:

| | |
|-------------|---|
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| H304 | May be fatal if swallowed and enters airways. |
| EUH210 | Safety data sheet available on request. |

The contents and format of this SDS are in accordance with EEC Commission Directive 1999/45/EC, 67/548/EC, 1272/2008/EC and EEC Commission Regulation 1907/2006/EC (REACH) Annex II.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.